







### M2X Megamax

Blends high modulus super stiff and light T-700 unidirectional carbon fiber with innovative design features including oversized tapered head tubes, massive downtubes and BB92 bottom brackets delivering a high level of torsional stiffness to optimize power transfer.

Found on all FLC29 models.

5000 SERIES ALUMINUM

### FL30

Haro's 3rd generation lightweight 6000 series aluminum frame platform. Custom specification and formed aluminum tubing designed to reduce weight, enhance ride compliance, and increase overall performance.

Available on FL20, FL24, FL One, FL One ST, FL 29 One

### EL3GI

The FL3Gi includes all the custom features found on the FL3G with the addition of a semi-integrated headtube resulting in an extremely durable and lightweight frame.

Available on all Two, Sport and Trail models.

### FL3Gi Taper & FL3Gi w/ X6

Lightweight tubing along with smooth welding and oversized 11/8"-11/2" tapered headtube with integrated headset for increased front end rigidity and high-performance. Add in ultra-light X6 tubing on Expert models for the absolute finest aluminum frameset Haro makes to provide a lightweight responsive top-performer.

FL3Gi Taper available on FL 27.5 Comp, FL 29 Comp FL3Gi Taper w/X6 available on FL 27.5 Expert, FL 29 Expert

STEEL RESERVE

### Six Shooter Dropouts

Strong and durable CNC machined interchangeable dropouts designed to give the option of running a single speed or multi-gear rear derailleur and wheel.

Available on the Steel Reserve 1.3

### FLG ELITE

**SIZES:** 15.5", 17.5", 19"

FRAME: Haro Flightline Carbon 29 Series w/ taper headtube, BB92 FORK: Rock Shox SID SL 29 Taper 100mm travel w/ PushLoc CRANKSET: SRAM XX1 34t w/ ceramic bearing Press Fit BB92

**SHIFTERS:** SRAM XX1 Trigger 11spd

**DERAILLEURS:** SRAM XX1 **BRAKES:** SRAM XX

**CASSETTE:** SRAM XG 10-42T **HANDLEBAR:** Ritchey WCS Flat bar

**STEM:** Ritchey WCS c-260 **GRIPS:** Prologo Chameleon **SADDLE:** Prologo Zero 2

**SEATPOST:** Ritchey WCS 31.6mm WHEELSET: SRAM Roam 50 wheelset TIRES: Ritchey Shield 29 x 2.1"

COLORS: SG Green / SG UD carbon



## PAWING

### LIGHTLINES ARE BLAZING TRAILS IN CARBON.

ntain bike with the quick, agile feel of a legendary Haro BMX bike and the solid, stable handling of a 29er. Sound d it with lightweight, next-generation carbon fiber and you get the ultimate trail machine - the Haro FLC 29. urs of research and development went into Haro's very first carbon fiber mountain bike - the FLC 29 - to give sling and stability characteristics unlike any other carbon fiber hardtail 29er.

ke our flagship, the FLC Elite. The highest-end mountain bike in Haro history features SRAM XX1, an innovative 11-speed stem that completely eliminates the front derailleur and shifter while still offering a gear range to handle all riding conditions. Add in the legendary Rock Shox SID SL with a 15mm thru axle and the result is a featherweight race rig engineered to crush the dreams of your competite

very Haro bike, the FLC 29 is built by riders for riders and possesses an unmatched blend of performance, durability and Thanks to MegaMax Carbon technology, the FLC 29 features unidirectional carbon fiber layup and custom tube shapes to nize efficiency and strength for ride qualities so smooth and predictable that the FLC 29 practically disappears beneath you

MegaMax Carbon technology optimally balances the inherent tensile strength and modulus of carbon fiber with gns including an oversized, tapered head tube and BB92 bottom bracket. The result is a machine that rockets you every pedal stroke, razor-sharp cornering to make the tightest turns a breeze and vertical compliance that smoothes

While many competitors produce carbon frames that may only endure one season, the Haro FLC 29 is built to last. As a testament to its quality construction, Haro features an industry-leading limited lifetime warranty for all FLC frames. And as a bonus, the starting price for a complete, well-equipped FLC 29 is less than just the frame alone of many competitive carbon fiber 29ers. The Haro FLC 29 is a high-performance, value-packed, no-compromises trail machine with legendary ride qualities that only a Haro can deliver. So get your legs around one today and experience it for yourself!

FLCs ALSO AVAILABLE IN GLOSS UD CARBON FRAMESET ONLY\*

SHIELD 2043,

### FLG PRO

## ALL PRO NOCON

Even if you aren't a pro, the innovative design and exceptional handling qualities of the FLC Pro will make you feel like one every time you clip into your pedals. Featuring the legendary Shimano XT shifting and braking systems along with high-end components from Ritchey, Prologo and a 15mm thru axle Rock Shox Reba RL fork with Poploc, the FLC Pro knows how to win.



FLG PRO

FLG >HARO | MTB 2014 | 7



FLC 

►HARO | MTB 2014 | 9

### FL29 EXPERT

**SIZES:** 16", 18", 20"

FRAME: Haro Flightline 29 FL3Gi Taper X6 Series alloy FORK: Rock Shox XC30 29" 100mm travel w/ PopLog CRANKSET: FSA Comet 38/24 w/ Mega EXO BB

SHIFTERS: SRAM X5 10-speed

**DERAILLEURS:** SRAM X5 front, X7 rear

**BRAKES:** Avid Elixer 1

CASSETTE: SRAM PG1030 10-speed 11-36T

**HANDLEBAR:** Ritchey MTN 20mm riser bar 31.8mm

**STEM:** Ritchey alloy stem **GRIPS:** Prologo Light **SADDLE:** Prologo Kappa EVO

**SEATPOST:** Ritchey alloy micro adjust 31.6mm RIMS: Weinmann XM-260 Disc alloy double wall

**HUBS:** Pivit alloy disc cassette 28h TIRES: Kenda Turnbull Canyon 29 x 2.10"

**COLORS:** Matte Black



## 

### **LEHILLS. THESE 29ERS HAVE SOMETHING TO SAY.**

With a focus on light weight, razor-sharp geometry and eye catching looks, the Flightline series of aluminum mountain bikes introduce an all-new model for 2014, the 27.Five. Sporting 650B wheels, the 27.Five model elps Haro become one of the few brands to offer all three adult mountain bike wheel sizes and two kids wheel sizes, delivering optimal fit and comfort for every type and age of rider.

oped with a slew of features found on the FLC Carbon series, the Flightline Aluminum puts a priority on a priority on the street of the Flightline are the FL3G in the graph of the Flightline are the FL3G in the featuring custom-shaped and lightweight 6000 series aluminum to deliver torsional less for maximum power delivery and vertical compliance to take the edge off rocky trails. FL3Gi frames also ature a semi-integrated head tube for a more integrated look typically found on bikes costing hundreds more.

w high-quality components for 2014 from Shimano, SRAM, WTB, Prologo and Kenda along with the Haro limited lifetime frame warranty, the Flightline Aluminum series is built to scream down the trails.

**cking things off the line is the Expert 29er.** Whether it's your first big wheel bike or one of many ble, the Flightline Expert 29 perfectly blends the smooth ride of a 29er with the characteristic ability of a Haro BMX bike. As Haro's flagship aluminum 29er it sports FL3Gi design with ology X-6 Lite tubing. Boasting a terrific mix of SRAM and Avid components, a Rock Shox XC30 c, Kenda tires and a Prologo saddle, the Expert 29 is ready to rock straight out of the box.



KENDATIRE.CO.



FL29 ►HARO | MTB 2014 | 13



FL29 ► HARO' / MTB 2014 / 15



FL29 ►HARO'/*MTB 2914* / 17



FLIGHTLINE

### FL27.FIVE EXPERT

**SIZES:** 14", 16", 18", 20"

FRAME: Haro Flightline 27.Five FL3Gi Taper X6 Series alloy FORK: Rock Shox XC30 100mm travel w/ PopLoc

CRANKSET: FSA Comet 38/24 w/ Mega EXO BB

**SHIFTERS:** SRAM X5 10-speed

**DERAILLEURS:** SRAM X5 front, X7 rear

**BRAKES:** Avid Elixir 1 hydraulic

CASSETTE: SRAM PG1030 10-speed 11-36T

HANDLEBAR: Ritchey MTN 20mm riser bar 31.8mm

**STEM:** Ritchey alloy stem **GRIPS:** Prologo Light **SADDLE:** Prologo Kappa EVO

**SEATPOST:** Ritchey alloy micro adjust 31.6mm **RIMS:** Weinmann XM-260 Disc alloy double wall

**HUBS:** Pivit alloy disc cassette 28h

TIRES: Kenda Turnbull Canyon 27.5 x 2.00"

**COLORS:** Flat Black

FL27.FIVE

## 

### R THE HARO BLOODLINE.

are too big and 26" wheels are too small, the brand new Haro Flightline 27.Five is your Goldilocks. h a focus on light weight, razor-sharp geometry and eye catching looks, the Flightline series of aluminum mountain lel for 2014, the 27.Five. Sporting 650B wheels, the 27.Five model helps Haro become one of the few brands to offer all th ree adult mountain bike wheel sizes and two kids wheel sizes, delivering optimal fit and type and age

with a slew of features found on the FLC Carbon series, the Flightline Aluminum puts a priority on performance draining your wallet in the process. At the core of the Flightline are the FL3G and FL3Gi frame designs, haped and lightweight 6000 series aluminum to deliver torsional stiffness for maximum power delivery vertical compliance to take the edge off rocky trails. FL3Gi frames also feature a semi-integrated head tube for a more grated look typically found on bikes costing hundreds more.

uality components for 2014 from Shimano, SRAM, WTB, Prologo and Kenda along with the trusted Haro frame warranty, the Flightline Aluminum series is built to scream down the trail

the **27.Five Expert. Big features, big performance, midrange size.** Featuring a "just right" 650B wheel size, Expert features a lightweight FL3Gi X6 aluminum frame with a tapered head tube for increase front end at steering precision. Equipped with a 100mm Rock Shox fork with Poploc, Avid Elixir 1 disc brakes, SRAM

d shifting and race-quality components from Ritchey, Prologo and Kenda, the Expert 27.Five is a whole lot of bike

KENDATIRE

¥HARO'/*MTB 2014* / 21 FL27.FIVE



FL27.FIVE SHARO / MTB 2014 / 23



FL27.FIVE SHARO / MTB 2014 / 25

### FL26 SPORT

**SIZES:** 15", 17", 19"

FRAME: Haro Flightline FL3Gi 6000 Series alloy FORK: SR Suntour XCT 100mm w/ Mechanical Lock Out CRANKSET: Suntour XCT 42/32/22 w/ sealed cartridge B.B.

SHIFTERS: Shimano SL-M310 8-speed

**DERAILLEURS:** Shimano Altus front, Acera rear

BRAKES: Tektro HDC-300 hydraulic CASSETTE: Shimano HG-31 8-speed 11-32T

HANDLEBAR: Pivit alloy 25mm riser bar 31.8mm

STEM: Pivit forged alloy GRIPS: WTB Technical Trail

**SADDLE:** WTB Speed V Sport SE **SEATPOST:** Pivit alloy micro adjust 30.9mm

RIMS: Weinmann XM-25 alloy double wall HUBS: Pivit alloy disc cassette 32h

TIRES: H-5129 26 x 2.10"
COLORS: Gloss Black



# TRAM PLETHE TRAILS

### LIGHT AND AGILE, THE FL26 IS MAKIN' MOVES.

There's nothing like the original. For those who haven't quite bought into the big wheel revolution and are seeking a fun, responsive and flickable machine for trail duty, the Flightline Series with traditional 26-inch wheels is choice. Even if you're just looking for a high-quality mountain bike to chase your kids through the neighborhood on, you can't beat the value of a Haro Flightline. A new 13" step-thru model for 2014 is perfectly suited for the ladies out there, and with components from Shimano, WTB and Kenda, the Flightline series serves up a level of performance that competitors simply can't touch.

At the top is the all new 26 Sport. Stepping up to the Flightline Sport with an FL3Gi aluminum frame will yield numerous features not found on bikes in its price range. Featuring hydraulic disc brakes, high-quality WTB components, a wider, more comfortable saddle along with tried-and-true Shimano components, shifting and handling even the roughest terrain are all made easier aboard the Flightline Sport.

FL26 ► HARO! / MTB 2014 / 27



FL26 ► HARO'/MTB 2014 | 29

### FL26 ONE

**SIZES:** 13", 15", 17", 19", 21"

FRAME: Haro Flightline FL3G 6000 Series alloy
FORK: HL 410E 50mm travel
CRANKSET: SR Suntour XCC-102 42/34/24 w/ sealed cartridge BB
SHIFTERS: Shimano EF-40 7-speed
DERAILLEURS: Shimano TX-50 front, Shimano TX-35 rear

BRAKES: Alloy direct pull w/ liner spring
CASSETTE: Shimano HG-20 7-speed cassette 12-32T
HANDLEBAR: Pivit alloy 25mm riser bar 31.8mm

**STEM:** Pivit forged alloy **GRIPS:** Haro MTB SADDLE: Haro Flightline

**SEATPOST:** Pivit alloy 30.9mm

RIMS: DH-18 alloy 32h

**HUBS:** Pivit alloy **TIRES:** H-5120 26 x 2.10"

**COLORS:** Matte Sandstone / Black

### FL26 ONE ST

FRAME: Haro Flightline FL3G 6000 Series alloy

FORK: HL 410E 50mm travel
CRANKSET: SR Suntour XCC-102 42/34/24 w/ sealed cartridge BB

SHIFTERS: Shimano EF-40 7-speed

DERAILLEURS: Shimano TX-50 front, Shimano TX-35 rear

BRAKES: Alloy direct pull w/ liner spring

**CASSETTE:** Shimano HG-20 7-speed cassette 12-32T HANDLEBAR: Pivit alloy 25mm riser bar 31.8mm

STEM: Pivit forged alloy

**GRIPS:** Haro MTB

**SADDLE:** Haro Flightline

**SEATPOST:** Pivit alloy 30.9mm

RIMS: DH-18 alloy 32h

HUBS: Pivit alloy
TIRES: H-5120 26 x 2.10"

**COLORS:** SG Charcoal / Pearl White



**≽**HARO'/*MTB 2014* / 31 FL26



FL24 ► HARO/*MTB 2014* / 33

FL20

### FOR THOSE ABOUT

There's no better way to start your kid's lifelong adventures on a mountain bike than with the Flightline 20. And just because it's a kid's bike doesn't mean it can't benefit from advanced technology like a lightweight FL3G aluminum frame that's durable enough to endure youthful abuse. Add in a suspension fork and Shimano Revo Twist shifters that help keep little hands on the grips for added control, the Flightline 20 is a small bike that's huge on value.

### FL20

SIZES: 10"

FRAME: Haro Flightline FL3G 6000 Series alloy

FORK: Haro 410E, 30mm

CRANKSET: Alloy 40t with double guard, square taper BB

SHIFTERS: Shimano Revo 6-speed DERAILLEURS: Shimano TZ-50

BRAKES: Alloy direct pull w/ liner spring

**CASSETTE:** Sunrace 6-speed freewheel 14-28T

HANDLEBAR: Pivit riser bar STEM: Pivit forged alloy GRIPS: Haro MTB SADDLE: Haro Jr.

**SEATPOST:** Pivit alloy micro adjust 27.2mm

RIMS: DH-168 alloy 32h HUBS: Pivit steel TIRES: H-5120 20 x 1.95"

**COLORS:** Black / SG Red / Metallic Purple



FL26 

►HARO / MTB 2014 | 35



STEEL RESERVE 

►HARO! / MTB 2014 | 37

### **STEEL 1.3**

**SIZES:** 21.8" TT (Short), 22.3" TT (Long)

FRAME: 4130 full Crmo w/ double butted DT; integrated HT and interchangeable dropouts FORK: Marzocchi DJ1 100mm travel w/ 20mm thru axle

CRANKSET: 4130 3 piece tubular Crmo w/ Haro alloy 25T sprocket

**BRAKES:** Tektro Draco hydraulic w/ 6" wave rotor (rear only)

CASSETTE: 12t coa

HANDLEBAR: Gravity Gap OS Riser Bar, 25mm Rise, 31.8 Clamp

**STEM:** Gravity Gap Oversize Stem, 45mm Extension

**GRIPS:** Haro lock On

**SADDLE:** Haro slim padded Pivotal

**SEATPOST:** Pivotal 25.4 **RIMS:** Alienation Skylark

FRONT HUB: 36H alloy shell sealed bearing; single speed cassette rear

TIRES: Kenda K-Rad 2.3"



STEELI.3

## JAM

### FREESTYLE AND MTB, SITTING IN A TREE...

Throw a legendary Haro BMX freestyler and a Haro mountain bike in a smelter and you get the ultimate for maximum strength and weight savings with Six Shooter CNC horizontal slotted interchangeable dropouts for superior versatility. The Steel Reserve 1.3 is a custom built bike without the custom built price tag, featuring premium components like a 100mm Marzocchi DJ1 fork with 20mm thru axle, Alienation Skylark double-wall

¥HARO'/*MTB 2014* / 39 STEEL RESERVE

### STEEL 1.2

**SIZES:** 21.8" TT (Short), 22.3" TT (Long)

FRAME: 4130 full Crmo w/ double butted DT; BMX inspired horizontal dropouts
FORK: RST Dirt 80mm travel, hydraulic rebound
CRANKSET: 4130 3 piece tubular crmo w/ Haro alloy 25T sprocket
BRAKES: Tektro IO Mechanical disc w/ 6" rotor (rear only)

CASSETTE: 12t cog

HANDLEBAR: Haro alloy riser bar, 30mm rise, 680mm width, 31.8mm clamp

STEM: Haro alloy clamp on stem; 50mm extension; 10 degree rise; 31.8 bar clamp GRIPS: Counterfeit BMX

**SADDLE:** Haro slim padded Pivotal

**SEATPOST:** Pivotal 25.4

RIMS: Alienation PBR front, Black Sheep rear

HUBS: 36H alloy shell disc; single speed sealed bearing cassette rear

TIRES: Kenda K-Rad 2.3" **COLORS:** SG Black

### STEEL I.I

**SIZES:** 21.8" TT (Short), 22.3" TT (Long)

FRAME: 4130 full Crmo w/ double butted DT; BMX inspired horizontal dropouts
FORK: Suspension corrected 4130 crmo rigid fork
CRANKSET: 4130 3 piece tubular crmo w/ Haro steel 25T sprocket

BRAKES: Tektro IO Mechanical disc w/ 6" rotor (rear only)

**CASSETTE:** 12t cog

HANDLEBAR: Haro steel riser bar; 30mm rise; 680mm width; 31.8mm clamp

STEM: Haro alloy clamp on, 60mm extension; 10 degree rise; 31.8 bar clamp

**GRIPS:** Counterfeit BMX

**SADDLE:** Haro slim padded one piece seat/post

**SEATPOST:** 25.4mm post included with seat

RIMS: Weinmann Zac-19 alloy double wall

FRONT HUB: 36H alloy shell disc; single speed sealed bearing cassette rear

TIRES: Kenda K-Rad 2.3"

**COLORS:** Matte Blue / Matte Dark Grey

Whether pumping at the park or airing out massive gaps, the Steel Reserve 1.1 can go as big as your huevos allow. Featuring an integrated internal head tube and full 4130 chromoly frame,



**>HARO** / *MTB 2014* / 41 STEEL RESERVE

### PROJEKT

**SIZES:** 49cm, 53cm, 57cm

FRAME: 700c fixed gear w/ horizontal dropouts
FORK: 700c full crmo, designed to accommodate bigger tires
CRANKSET: 3 pc. forged alloy w/ 44t chainring
BRAKES: Tektro Dual Pivot

CASSETTE: 16t cog w/ lock ring

HANDLEBAR: Haro alloy riser bar; 30mm rise; 600mm width; 25.4 clamp

**STEM:** Haro alloy clamp on, 10 degree rise, 25.4 clamp

**GRIPS:** Counterfeit BMX

SADDLE: Haro slim padded w/ embossed cover

**SEATPOST:** Steel 25.4mm

RIMS: Weinmann LP-18 alloy double wall HUBS: 32H alloy shell; flip-flop rear TIRES: Kenda Kwest 700 x 28c **COLORS:** Matte Graphite / Matte Black

### **OBJEKT**

FRAME: 700c fixed gear w/ horizontal dropouts

FORK: 700c full crmo, designed to accommodate bigger tires CRANKSET: 4130 3 pc. tubular crmo w/ 44T sprocket

**BRAKES:** Tektro Dual Pivot

CASSETTE: 16t cog w/ lock ring

HANDLEBAR: Haro alloy riser bar; 70mm rise; 600mm width; 22.2 clamp STEM: Haro BMX alloy front load stem; 52mm extension; 22.2mm bar clamp

**GRIPS:** Counterfeit BMX

**SADDLE:** Haro slim padded w/ embossed cover

**SEATPOST:** Steel 25.4mm

RIMS: Weinmann XP-26 alloy double wall HUBS: 32H alloy shell; flip-flop rear

TIRES: Kenda Kwick Trax 700 x 38c **COLORS:** Matte Army Green / Matte Black Nobody can object to the killer design of the Objekt. Perfectly blending BMX style with an urban feel, the Objekt features 100% chromoly construction, horizontal dropouts, a flip-flop rear hub, meaty 38c Kenda tires, 4130 chromoly stem with 70mm rise bars. It all adds



**>**HARO'/*MTB 2014* / 43 FIXED GEAR

### FLC 29 Comp, FLC 29 Pro, FLC Elit

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
15.5	71	73	570	394	445	60	1074	750
17.5	71	73	590	445	445	60	1093	785
19	71	73	615	472	445	60	1119	800

### Flightline 29 Comp. Flightline 29 Exper

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
16"	72	73	596	405	460	60	1092	750
18"	72	73	603	460	460	60	1098	785
20"	72	73	605	510	460	60	1098	800

### Flightline 29 One, Flightline 29 Two, Flightline 29 Sport, Flighline 29 Trail

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
16"	72	73	596	405	460	60	1092	750
18"	72	73	603	460	460	60	1098	785
20"	72	73	605	510	460	60	1098	800
22"	72	73	607	560	460	60	1122	850

### Flightline 27.Five Sport, Flightline 27.Five Trail, Flightline 27.Five Comp, Flightline 27.Five Expert

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
14"	70	72.5	565	356	425	38.5	1045	710
16"	70	72.5	575	406	425	38.5	1071	730
18"	70	72.5	594	457	425	38.5	1100	760
20"	70	72.5	616	508	425	38.5	1112	790

### Flightline Two, Flightline Sport (Sport available 15/17/19 only)

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
13"	71	73	553	330	425	35	1022	715
15"	71	73	556	381	425	35	1037	725
17"	71	73	583	432	425	35	1063	758
19"	71	73	607	483	425	35	1083	784
21"	71	72	608	533	425	35	1089	809

ALL SPEC SUBJECT TO CHANGE WITHOUT NOTICE.

### GEOMETRY

### Flightline On

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
14"st	71	73	554	355	425	35	1037	682
17"st	71	73	559	430	425	35	1037	690
13"	70.5	73	553	330	425	35	1030	715
15"	71	73	571	381	425	35	1043	725
17"	71	73	595	432	425	35	1067	758
19"	71	73	617	483	425	35	1090	784
21"	71	72	630	533	425	35	1087	809

### Flightline 20 Flightline 24

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
FI20	70	71	469	260	363	0	888	557

### Steel Reserve 1.

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
Short	69.5	71.5	554	335	390	17.5	1031	749
Long	69.5	71.5	566	335	390	17.5	1044	749

### Steel Reserve 1.1, Steel Reserve 1.2

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
Short	70	71	554	330	395	17.5	1036	749
Long	70	71	566	330	395	17.5	1050	749

### Objekt, Projek

Size	Head Angle	Seat Angle	Top Tube (Effective)	Seat Tube (C-T)	Chainstay Length	BB Drop	Wheel Base	Standover
49cm	70.5	74.5	595	490	415	60	1062	763
53cm	70.5	74.5	597	530	415	60	1064	783
57cm	70.5	74.5	599	570	415	60	1095	815

GEOMETRY SHARO MTB 2014 | 45

